



PRICE LIST

Wire & Cable

Revision 02



CHAROONG THAI WIRE & CABLE PCL



WE BRING POWER TO YOU



CHAROONG THAI
WIRE & CABLE PCL.



CONTENT

TYPE OF CABLES	VOLTAGE	PAGE
VAF & VAF-G	300/500 V	1
60227 IEC 52 (VKF)	300/300 V	2
60227 IEC 53 (VKF)	300/500V	2
60227 IEC 05 & 60227 IEC 06 (IV)	300/500 V	3
60227 IEC 01 (THW)	450/750 V	4
60227 IEC 02 & 60227 IEC 02 (TWISTED)	450/750 V	5
60227 IEC 10 & 60227 IEC 10 WITH GROUND	300/500 V	6
NYY	450/750 V	7
NYY-G	450/750 V	8
60227 IEC 53 & 60227 IEC 53 WITH GROUND	300/500 V	9
VCT	450/750 V	10
VCT-G	450/750 V	11
CVV	600 V	12
CVV-S	600V	13
CV	0.6/1(1.2) KV	14
CV-FRPVC	0.6/1(1.2) KV	15
CV 1.8/3(3.6) KV & 3.6/6(7.2) KV & 6/10(12) KV		16
CV 8.7/15(17.5) KV & 12/20(24) KV & 18/30(36) KV		17
THW-A	750 V	18
STATION WIRE (SW)		19
TIEV		20





VAF & VAF-G

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAT TYPE
TIS 11-2559 Part 101 Table 1

VAF (2 CORE)

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 1 Sq.mm.	16.24	100 m./coil
2 x 1.5 Sq.mm.	23.45	100 m./coil
2 x 2.5 Sq.mm.	37.87	100 m./coil
2 x 4 Sq.mm.	58.66	100 m./coil
2 x 6 Sq.mm.	93.38	100 m./coil
2 x 10 Sq.mm.	150.99	100 m./coil
2 x 16 Sq.mm.	234.01	100 m./coil

VAF-G (2 CORE WITH GROUND)

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 1 / 1 Sq.mm.	34.44	100 m./coil
2 x 1.5 / 1.5 Sq.mm.	45.08	100 m./coil
2 x 2.5 / 2.5 Sq.mm.	63.00	100 m./coil
2 x 4 / 4 Sq.mm.	99.26	100 m./coil
2 x 6 / 6 Sq.mm.	150.22	100 m./coil
2 x 10 / 10 Sq.mm.	222.60	100 m./coil
2 x 16 / 16 Sq.mm.	346.92	100 m./coil



60227 IEC 52

300/300 V 70°C PVC INSULATED AND SHEATHED, FLAT TYPE, FLAXIBLE , 2 CORE (VKF)
TIS 11-2553 Part 5 Table 7, IEC 60227 Part 5 Table 7

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 0.5 Sq.mm.	16.10	100 m./coil
2 x 0.75 Sq.mm.	22.68	100 m./coil

60227 IEC 53

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAT TYPE, FLAXIBLE , 2 CORE (VKF)
TIS 11-2553 Part 5 Table 9, IEC 60227 Part 5 Table 9

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 0.75 Sq.mm.	24.22	100 m./coil
2 x 1 Sq.mm.	31.22	100 m./coil





60227 IEC 05

300/500 V 70°C PVC INSULATED, 1 CORE (IV)
TIS 11-2553 Part 3 Table 5, IEC 60227 Part 3 Table 5

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1 x 0.5 Sq.mm.	3.92	100 m./coil
1 x 0.75 Sq.mm.	6.58	100 m./coil
1 x 1 Sq.mm.	8.12	100 m./coil

60227 IEC 06

300/500 V 70°C PVC INSULATED, FLAXIBLE , 1 CORE (IV) or (VSF)
TIS 11-2553 Part 3 Table 7, IEC 60227 Part 3 Table 7

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1 x 0.5 Sq.mm.	6.86	100 m./coil
1 x 0.75 Sq.mm.	8.40	100 m./coil
1 x 1 Sq.mm.	10.22	100 m./coil



60227 IEC 01 (THW)

450/750 V 70°C PVC INSULATED , 1 CORE
TIS 11-2553 Part 3 Table 1, IEC 60227 Part 3 Table 1

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1.5 Sq.mm.	11.48	100 m./coil
2.5 Sq.mm.	17.50	100 m./coil
4 Sq.mm.	27.60	100 m./coil
6 Sq.mm.	42.00	100 m./coil
10 Sq.mm.	69.02	100 m./coil
16 Sq.mm.	109.70	100 m./coil
25 Sq.mm.	172.60	100 m./coil
35 Sq.mm.	250.50	100 m./coil
50 Sq.mm.	330.00	500 m./Reel
70 Sq.mm.	470.00	500 m./Reel
95 Sq.mm.	649.50	500 m./Reel
120 Sq.mm.	821.74	500 m./Reel
150 Sq.mm.	1,017.10	500 m./Reel
185 Sq.mm.	1,272.00	500 m./Reel
240 Sq.mm.	1,679.14	500 m./Reel
300 Sq.mm.	2,084.50	500 m./Reel
400 Sq.mm.	2,665.54	500 m./Reel





60227 IEC 02 (FLEXIBLE)

450/750 V 70°C PVC INSULATED, FLEXIBLE, 1 CORE
TIS 11-2553 Part 3 Table 3, IEC 60227 Part 3 Table 3

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1.5 Sq.mm.	13.30	100 m./coil
2.5 Sq.mm.	20.16	100 m./coil
4 Sq.mm.	30.21	100 m./coil
6 Sq.mm.	52.22	100 m./coil
10 Sq.mm.	83.66	100 m./coil
16 Sq.mm.	119.97	100 m./coil
25 Sq.mm.	181.87	100 m./coil

60227 IEC 02 (TWISTED)

450/750 V 70°C PVC INSULATED, FLEXIBLE, (2 CORE TWISTED), (VTF)
TIS 11-2553 Part 3 Table 7, IEC 60227 Part 3 Table 7

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 1.5 Sq.mm.	27.44	100 m./coil
2 x 2.5 Sq.mm.	42.42	100 m./coil



60227 IEC 10

300/500 V 70°C PVC INSULATED DOUBLE SHEATHED, 2-4 CORE
TIS 11-2553 Part 4 Table 1, IEC 60227 Part 4 Table 1

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1.5 Sq.mm.	67.34	76.86	88.62
2.5 Sq.mm.	80.64	94.36	110.32
4 Sq.mm.	114.10	135.73	163.24
6 Sq.mm.	158.06	196.00	238.70
10 Sq.mm.	223.72	287.00	364.28
16 Sq.mm.	316.68	421.40	549.22
25 Sq.mm.	465.64	644.14	826.56
35 Sq.mm.	617.54	871.22	1,202.60

60227 IEC 10 (WITH GROUND)

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1.5 / 1.5 Sq.mm.	76.86	88.62	125.02
2.5 / 2.5 Sq.mm.	94.36	110.32	173.17
4 / 4 Sq.mm.	135.73	163.24	255.92
6 / 6 Sq.mm.	196.00	238.70	374.08
10 / 10 Sq.mm.	287.00	364.28	570.50
16 / 16 Sq.mm.	421.40	549.22	851.20



**NY Y**

450/750 V 70°C PVC INSULATED DOUBLE SHEATHED, 1-4 CORE
TIS 11-2559 Part 101 Table 3

Cross Section Area (Sq.mm.)	Price Baht / Meter			
	1 CORE	2 CORE	3 CORE	4 CORE
1 Sq.mm.	31.50	63.13	71.44	81.34
1.5 Sq.mm.	35.00	70.64	80.63	92.96
2.5 Sq.mm.	40.88	84.43	98.80	115.50
4 Sq.mm.	55.16	119.46	142.11	170.91
6 Sq.mm.	82.32	165.17	204.82	249.44
10 Sq.mm.	98.70	232.89	298.77	379.22
16 Sq.mm.	138.32	327.12	435.30	567.35
25 Sq.mm.	202.44	480.07	664.10	852.18
35 Sq.mm.	274.40	636.06	897.36	1,238.68
50 Sq.mm.	363.58	882.42	1,224.58	1,561.00
70 Sq.mm.	493.92	1,247.40	1,657.18	2,170.00
95 Sq.mm.	663.60	1,680.00	2,319.66	3,017.00
120 Sq.mm.	851.20	2,086.00	2,928.80	3,816.40
150 Sq.mm.	1,044.40	2,562.00	3,564.40	4,673.20
185 Sq.mm.	1,299.20	3,203.20	4,438.00	5,864.60
240 Sq.mm.	1,692.60	4,188.80	5,803.00	7,726.60
300 Sq.mm.	2,109.80	5,213.60	7,190.40	9,590.00
400 Sq.mm.	2,699.20	-	-	-
500 Sq.mm.	3,537.80	-	-	-



NYY-G

450/750 V 70°C PVC INSULATED DOUBLE SHEATHED, WITH GROUND 2-4 CORE
TIS 11-2559 Part 101 Table 3

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 / 1 Sq.mm.	71.44	81.34	115.58
1.5 / 1.5 Sq.mm.	80.63	92.96	130.65
2.5 / 2.5 Sq.mm.	98.80	115.50	180.43
4 / 4 Sq.mm.	142.11	170.91	266.41
6 / 6 Sq.mm.	204.82	249.44	389.05
10 / 10 Sq.mm.	298.77	379.22	592.75
16 / 16 Sq.mm.	459.55	595.35	903.91
25 / 16 Sq.mm.	631.04	803.60	1,247.26
35 / 16 Sq.mm.	849.84	1,176.21	1,797.60
50 / 25 Sq.mm.	1,223.57	1,533.00	2,317.00
70 / 35 Sq.mm.	1,612.27	2,143.09	3,206.00
95 / 50 Sq.mm.	2,240.08	2,953.34	4,417.00
120 / 70 Sq.mm.	2,818.20	3,763.35	5,509.00
150 / 95 Sq.mm.	3,480.60	4,588.81	6,776.00
185 / 95 Sq.mm.	4,247.60	5,736.51	8,421.00
240 / 120 Sq.mm.	5,524.40	7,561.55	10,990.00
300 / 150 Sq.mm.	6,899.12	9,365.89	13,699.00





60227 IEC 53

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE
TIS 11-2553 Part 5 Table 9, IEC 60227 Part 5 Table 9

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
0.75 Sq.mm.	31.22	39.06	51.94
1 Sq.mm.	36.54	49.56	61.74
1.5 Sq.mm.	48.44	61.46	79.52
2.5 Sq.mm.	77.98	111.16	124.18

60227 IEC 53 (WITH GROUND)

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE
TIS 11-2553 Part 5 Table 9, IEC 60227 Part 5 Table 9

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 / 1 Sq.mm.	49.56	61.74	89.60
1.5 / 1.5 Sq.mm.	61.46	79.52	111.30
2.5 / 2.5 Sq.mm.	111.16	124.18	162.40



VCT

450/750 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE
TIS 11-2559 Part 101 Table 7

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 Sq.mm.	37.86	51.34	63.97
1.5 Sq.mm.	50.04	63.49	82.14
2.5 Sq.mm.	80.43	114.66	128.09
4 Sq.mm.	111.30	140.56	178.50
6 Sq.mm.	158.06	205.66	267.68
10 Sq.mm.	273.42	358.82	469.70
16 Sq.mm.	392.00	530.60	679.56
25 Sq.mm.	618.10	799.40	1,023.96
35 Sq.mm.	819.14	1,117.20	1,425.20





VCT-G

450/750 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE WITH GROUND
TIS 11-2559 Part 101 Table 7

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 / 1 Sq.mm.	51.34	63.97	93.52
1.5 / 1.5 Sq.mm.	63.49	82.14	116.02
2.5 / 2.5 Sq.mm.	114.66	128.09	169.06
4 / 4 Sq.mm.	140.56	178.50	247.72
6 / 6 Sq.mm.	205.66	267.68	420.63
10 / 10 Sq.mm.	358.82	469.70	637.00
16 / 16 Sq.mm.	530.60	679.56	903.00
25 / 16 Sq.mm.	777.17	1,008.81	1,316.00
35 / 16 Sq.mm.	1,078.46	1,389.79	1,841.00



600 V CONTROL CABLE, 75 °C PVC INSULATED AND SHEATHED , 2 - 30 CORE

Number of Core	Price Baht / Meter				
	Cross Section Area (Sq.mm.)				
	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
2	48.02	51.10	56.42	76.30	104.72
3	53.34	58.66	69.02	96.32	132.02
4	66.92	69.16	83.72	119.42	175.84
5	81.62	91.00	106.68	152.88	213.50
7	96.32	109.90	132.02	192.92	278.46
9	127.82	148.68	181.16	257.32	368.48
10	138.18	160.16	196.56	282.52	406.00
12	153.86	180.04	221.90	326.48	479.08
14	170.52	196.70	246.96	366.24	540.54
16	183.12	215.46	273.00	409.50	624.26
19	208.18	246.12	314.30	478.66	724.36
21	234.78	278.46	351.26	531.44	800.80
24	260.26	307.58	393.12	615.16	906.36
27	289.38	334.88	437.36	678.16	1,011.08
30	309.40	366.38	478.66	744.38	1,113.84





CVV-S

600 V CONTROL CABLE, 75 °C PVC INSULATED AND SHEATHED , 2 - 30 CORE
WITH COPPER TAPE SHIELD

Number of Core	Price Baht / Meter				
	Cross Section Area (Sq.mm.)				
	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
2	87.92	91.91	102.48	127.82	169.68
3	96.32	104.72	117.18	152.60	203.84
4	112.84	119.42	138.32	182.00	246.96
5	132.02	142.38	163.24	222.04	293.02
7	152.88	167.44	198.38	267.54	367.64
9	187.46	207.06	240.24	334.88	456.82
10	205.66	223.86	262.08	365.82	513.24
12	222.04	243.88	293.02	407.68	569.66
14	243.8	273.00	322.14	451.36	666.12
16	262.08	296.66	356.72	505.96	746.20
19	293.02	334.88	396.76	582.40	837.20
21	320.32	362.18	433.16	658.84	946.40
24	356.72	405.86	489.58	742.56	1,082.90
27	389.48	438.62	536.90	813.54	1,186.64
30	413.14	475.02	595.14	886.34	1,297.66





0.6/1 (1.2) KV : CV

0.6/1 (1.2) KV CU/XLPE/PVC, 1 - 4 CORE
IEC 60502-1

Cross Section Area (Sq.mm.)	Price Baht / Meter			
	1 CORE	2 CORE	3 CORE	4 CORE
2.5 Sq.mm.	34.93	79.10	98.91	122.08
4 Sq.mm.	44.03	100.10	128.80	160.58
6 Sq.mm.	57.82	131.32	170.80	214.20
10 Sq.mm.	77.94	168.00	231.00	313.60
16 Sq.mm.	116.90	259.00	352.80	462.00
25 Sq.mm.	178.76	413.00	560.00	732.20
35 Sq.mm.	245.46	555.80	756.00	989.80
50 Sq.mm.	334.32	742.00	1,019.20	1,351.00
70 Sq.mm.	479.78	1,030.40	1,440.60	1,904.00
95 Sq.mm.	659.32	1,416.80	1,967.00	2,618.00
120 Sq.mm.	826.42	1,787.80	2,506.00	3,332.00
150 Sq.mm.	1,013.96	2,192.40	3,080.00	4,102.00
185 Sq.mm.	1,269.96	2,732.80	3,878.00	4,102.00
240 Sq.mm.	1,665.12	3,577.00	5,068.00	6,790.00
300 Sq.mm.	2,082.06	4,470.20	6,328.00	8,834.00
400 Sq.mm.	2,618.00	5,695.20	8,260.00	11,158.00
500 Sq.mm.	3,500.00	-	-	-
630 Sq.mm.	4,480.00	-	-	-
800 Sq.mm.	5,607.00	-	-	-
1,000 Sq.mm.	7,399.00	-	-	-





0.6/1 (1.2) KV : CV-FRPVC

0.6/1 (1.2) KV CU/XLPE/FRPVC, 1 - 4 CORE
IEC 60502-1

Cross Section Area (Sq.mm.)	Price Baht / Meter			
	1 CORE	2 CORE	3 CORE	4 CORE
2.5 Sq.mm.	36.81	83.36	104.23	128.65
4 Sq.mm.	46.45	105.59	135.87	169.39
6 Sq.mm.	60.86	138.24	179.79	225.47
10 Sq.mm.	80.40	177.03	243.42	330.46
16 Sq.mm.	119.74	273.49	372.54	487.86
25 Sq.mm.	178.07	425.33	576.73	754.07
35 Sq.mm.	245.87	574.17	780.99	1,022.52
50 Sq.mm.	338.80	765.74	1,051.81	1,394.22
70 Sq.mm.	474.85	1,062.26	1,485.15	1,962.88
95 Sq.mm.	655.17	1,463.63	2,032.03	2,704.55
120 Sq.mm.	830.76	1,844.99	2,586.18	3,438.60
150 Sq.mm.	1,018.18	2,264.88	3,181.82	4,237.60
185 Sq.mm.	1,271.68	2,814.42	3,993.82	5,334.70
240 Sq.mm.	1,665.02	3,680.04	5,213.99	6,985.59
300 Sq.mm.	2,109.39	4,613.21	6,530.44	9,116.62
400 Sq.mm.	2,698.98	5,871.33	8,515.46	11,503.09
500 Sq.mm.	3,604.54	-	-	-
630 Sq.mm.	4,609.05	-	-	-
800 Sq.mm.	5,780.42	-	-	-
1,000 Sq.mm.	7,619.98	-	-	-



1.8/3 (3.6) KV : CV

3.6/6 (7.2) KV : CV

6/10 (12) KV : CV

CU/XLPE/PVC OR PE, 1 AND 3 CORE
IEC 60502-2

Cross Section Area (Sq.mm.)	Price Baht / Meter					
	1.8/3 (3.6) KV		3.6/6 (7.2) KV		6/10 (12) KV	
	1 CORE	3 CORE	1 CORE	3 CORE	1 CORE	3 CORE
10 Sq.mm.	177.38	471.24	222.60	697.20	-	-
16 Sq.mm.	225.40	620.90	277.20	851.20	344.40	1,066.80
25 Sq.mm.	294.00	829.78	343.00	1,072.40	414.40	1,300.60
35 Sq.mm.	360.36	1,036.70	418.60	1,297.80	491.40	1,542.80
50 Sq.mm.	449.12	1,337.98	511.00	1,618.40	592.20	1,867.60
70 Sq.mm.	595.00	1,775.20	651.00	2,055.20	739.20	2,346.40
95 Sq.mm.	774.20	2,336.60	827.40	2,622.20	922.60	2,942.80
120 Sq.mm.	960.40	2,905.00	1,005.20	3,186.40	1,104.60	3,501.40
150 Sq.mm.	1,156.40	3,519.60	1,212.40	3,759.00	1,297.80	4,081.00
185 Sq.mm.	1,416.80	4,331.60	1,479.80	4,505.20	1,566.60	4,963.00
240 Sq.mm.	1,817.20	5,558.00	1,902.60	5,765.20	1,999.20	6,304.20
300 Sq.mm.	2,237.20	6,865.60	2,340.80	7,084.00	2,445.80	7,686.00
400 Sq.mm.	2,805.60	8,612.80	2,935.80	9,052.40	3,061.80	9,585.80
500 Sq.mm.	3,549.00	-	3,714.20	-	-	-





8.7/15 (17.5) KV : CV

12/20 (24) KV : CV

18/30 (36) KV : CV

CU/XLPE/PVC, 1 AND 3 CORE
IEC 60502-2

Cross Section Area (Sq.mm.)	Price Baht / Meter					
	8.7/15 (17.5) KV		12/20 (24) KV		18/30 (36) KV	
	1 CORE	3 CORE	1 CORE	3 CORE	1 CORE	3 CORE
25 Sq.mm.	473.20	1,510.60	-	-	-	-
35 Sq.mm.	555.80	1,761.20	613.20	1,971.20	-	-
50 Sq.mm.	653.80	2,116.80	721.00	2,312.80	886.20	2,935.80
70 Sq.mm.	807.80	2,585.80	868.00	2,794.40	1,044.40	3,505.60
95 Sq.mm.	995.40	3,179.40	1,059.80	3,463.60	1,244.60	4,132.80
120 Sq.mm.	1,181.60	3,913.00	1,254.40	4,057.20	1,436.40	4,774.00
150 Sq.mm.	1,367.80	4,432.40	1,439.20	4,663.40	1,643.60	5,398.40
185 Sq.mm.	1,629.60	5,201.00	1,692.60	5,513.20	1,906.80	6,213.20
240 Sq.mm.	2,069.20	6,508.60	2,121.00	7,071.40	2,318.40	7,802.20
300 Sq.mm.	2,515.80	8,045.80	2,580.20	8,339.80	2,734.20	9,307.20
400 Sq.mm.	3,137.40	9,800.00	3,201.80	10,113.60	3,374.00	11,145.40



THW-A

750 V 70°C PVC INSULATED, ALUMINUM STRANED 1 CORE
TIS 293-2541 TABLE 1

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
10 Sq.mm.	12.71	100 m./coil
16 Sq.mm.	17.25	100 m./coil
25 Sq.mm.	25.44	100 m./coil
35 Sq.mm.	32.87	100 m./coil
50 Sq.mm.	44.30	500 m./Reel
70 Sq.mm.	69.52	500 m./Reel
95 Sq.mm.	90.83	500 m./Reel
120 Sq.mm.	111.01	500 m./Reel
150 Sq.mm.	135.04	500 m./Reel
185 Sq.mm.	168.08	500 m./Reel
240 Sq.mm.	219.84	500 m./Reel
300 Sq.mm.	268.91	500 m./Reel



CHAROONG THAI
WIRE & CABLE PCL.



STATION WIRE : SW (TIEV)

TELEPHONE CABLE - INSIDE

Number of Cores	Price Baht / Meter	
	Diameter of Conductor (mm.)	
	24 AWG (0.5 mm.)	22 AWG (0.65 mm.)
2	5.39	7.63
3	7.14	10.50
4	8.75	13.09
5	10.64	16.24
6	12.39	19.60





TPEV

TELEPHONE CABLE - OUTSIDE

Number of Cores	Price Baht / Meter	
	Diameter of Conductor (mm.)	
	24 AWG (0.5 mm.)	22 AWG (0.65 mm.)
4	26.60	36.40
5	30.80	43.40
6	35.00	49.00
8	46.20	67.20
10	51.80	77.00
15	75.60	113.40
20	95.20	145.60
25	116.20	179.20
30	145.60	217.00
40	196.00	287.00
50	224.00	350.00
100	434.00	672.00
200	840.00	1,323.00



CHAROONG THAI
WIRE & CABLE PCL.

20



CHAROONG THAI WIRE & CABLE PUBLIC COMPANY LIMITED

Head Office : Executive & Sales Office
589/71 Central City Tower, Floor 12A, Bangna-Trad Road, Bangna, Bangna, Bangkok 10260
www.ctw.co.th E-mail: sales@ctw.co.th
Tel.: (+66)2 745 6118-30 Fax.: (+66)2 745 6131-32

Factory : Chachoengsao Plant
35/1 Moo 22 Suwinthawong Road, Km.55 Suwinthawong, Bangnamprieo, Chachoengsao 24000
Tel. : (+66)38 593 401-10 Fax. : (+66)38 593 400