



# PRICE LIST

WIRE & CABLE

REVISION : 02



**CHAROONG THAI WIRE & CABLE PCL**



# WE BRING POWER TO YOU



NSC-TISI-TIS 17025  
CALIBRATION 0125



**CHAROONG THAI**  
WIRE & CABLE PCL.

REVISION : 02



# CONTENT

TYPE OF CABLES	VOLTAGE	PAGE
VAF & VAF-G	300/500 V	1
60227 IEC 52 (VKF)	300/300 V	2
60227 IEC 53 (VKF)	300/500V	2
60227 IEC 05 & 60227 IEC 06 (IV)	300/500 V	3
60227 IEC 01 (THW)	450/750 V	4
60227 IEC 02 & 60227 IEC 02 (TWISTED)	450/750 V	5
60227 IEC 10 & 60227 IEC 10 WITH GROUND	300/500 V	6
NYY	450/750 V	7
NYY-G	450/750 V	8
60227 IEC 53 & 60227 IEC 53 WITH GROUND	300/500 V	9
VCT	450/750 V	10
VCT-G	450/750 V	11
CVV	600 V	12
CVV-S	600V	13
CV	0.6/1(1.2) KV	14
CV-FRPVC	0.6/1(1.2) KV	15
CV 1.8/3(3.6) KV & 3.6/6(7.2) KV & 6/10(12) KV		16
CV 8.7/15(17.5) KV & 12/20(24) KV & 18/30(36) KV		17
THW-A	750 V	18
STATION WIRE (SW)		19
TIEV		20





# VAF & VAF-G

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAT TYPE  
TIS 11-2559 Part 101 Table 1

## VAF (2 CORE)



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 1 Sq.mm.	16.24	100 m./coil
2 x 1.5 Sq.mm.	23.45	100 m./coil
2 x 2.5 Sq.mm.	37.87	100 m./coil
2 x 4 Sq.mm.	58.66	100 m./coil
2 x 6 Sq.mm.	93.38	100 m./coil
2 x 10 Sq.mm.	150.99	100 m./coil
2 x 16 Sq.mm.	234.01	100 m./coil

## VAF-G (2 CORE WITH GROUND)



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 1 / 1 Sq.mm.	34.44	100 m./coil
2 x 1.5 / 1.5 Sq.mm.	45.08	100 m./coil
2 x 2.5 / 2.5 Sq.mm.	63.00	100 m./coil
2 x 4 / 4 Sq.mm.	99.26	100 m./coil
2 x 6 / 6 Sq.mm.	150.22	100 m./coil
2 x 10 / 10 Sq.mm.	222.60	100 m./coil
2 x 16 / 16 Sq.mm.	346.92	100 m./coil



## 60227 IEC 52

300/300 V 70°C PVC INSULATED AND SHEATHED, FLAT TYPE, FLAXIBLE , 2 CORE (VKF)  
TIS 11-2553 Part 5 Table 7, IEC 60227 Part 5 Table 7



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 0.5 Sq.mm.	16.10	100 m./coil
2 x 0.75 Sq.mm.	22.68	100 m./coil

## 60227 IEC 53

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAT TYPE, FLAXIBLE , 2 CORE (VKF)  
TIS 11-2553 Part 5 Table 9, IEC 60227 Part 5 Table 9



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 0.75 Sq.mm.	24.22	100 m./coil
2 x 1 Sq.mm.	31.22	100 m./coil



## 60227 IEC 05

300/500 V 70°C PVC INSULATED, 1 CORE (IV)  
TIS 11-2553 Part 3 Table 5, IEC 60227 Part 3 Table 5

CTW-60227 IEC 05 IV

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1 x 0.5 Sq.mm.	3.92	100 m./coil
1 x 0.75 Sq.mm.	6.58	100 m./coil
1 x 1 Sq.mm.	8.12	100 m./coil

## 60227 IEC 06

300/500 V 70°C PVC INSULATED, FLAXIBLE , 1 CORE (IV) or (VSF)  
TIS 11-2553 Part 3 Table 7, IEC 60227 Part 3 Table 7

CTW-60227 IEC 06 IV

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1 x 0.5 Sq.mm.	6.86	100 m./coil
1 x 0.75 Sq.mm.	8.40	100 m./coil
1 x 1 Sq.mm.	10.22	100 m./coil



# 60227 IEC 01 (THW)

450/750 V 70°C PVC INSULATED , 1 CORE  
TIS 11-2553 Part 3 Table 1, IEC 60227 Part 3 Table 1

CTW-60227 IEC 01 THW



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1.5 Sq.mm.	11.48	100 m./coil
2.5 Sq.mm.	17.50	100 m./coil
4 Sq.mm.	27.60	100 m./coil
6 Sq.mm.	42.00	100 m./coil
10 Sq.mm.	69.02	100 m./coil
16 Sq.mm.	109.70	100 m./coil
25 Sq.mm.	172.60	100 m./coil
35 Sq.mm.	250.50	100 m./coil
50 Sq.mm.	330.00	500 m./Reel
70 Sq.mm.	470.00	500 m./Reel
95 Sq.mm.	649.50	500 m./Reel
120 Sq.mm.	821.74	500 m./Reel
150 Sq.mm.	1,017.10	500 m./Reel
185 Sq.mm.	1,272.00	500 m./Reel
240 Sq.mm.	1,679.14	500 m./Reel
300 Sq.mm.	2,084.50	500 m./Reel
400 Sq.mm.	2,665.54	500 m./Reel



# 60227 IEC 02 (FLEXIBLE)

TIS 11-2553 Part 3 Table 3, IEC 60227 Part 3 Table 3

CTW-60227 IEC 02 (FLEXIBLE)



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
1.5 Sq.mm.	13.30	100 m./coil
2.5 Sq.mm.	20.16	100 m./coil
4 Sq.mm.	30.21	100 m./coil
6 Sq.mm.	52.22	100 m./coil
10 Sq.mm.	83.66	100 m./coil
16 Sq.mm.	119.97	100 m./coil
25 Sq.mm.	181.87	100 m./coil

# 60227 IEC 02 (TWISTED)

450/750 V 70°C PVC INSULATED, FLEXIBLE, (2 CORE TWISTED), (VTF)

TIS 11-2553 Part 3 Table 7, IEC 60227 Part 3 Table 7

Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
2 x 1.5 Sq.mm.	27.44	100 m./coil
2 x 2.5 Sq.mm.	42.42	100 m./coil





# 60227 IEC 10

300/500 V 70°C PVC INSULATED DOUBLE SHEATHED, 2-4 CORE  
TIS 11-2553 Part 4 Table 1, IEC 60227 Part 4 Table 1



Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1.5 Sq.mm.	67.34	76.86	88.62
2.5 Sq.mm.	80.64	94.36	110.32
4 Sq.mm.	114.10	135.73	163.24
6 Sq.mm.	158.06	196.00	238.70
10 Sq.mm.	223.72	287.00	364.28
16 Sq.mm.	316.68	421.40	549.22
25 Sq.mm.	465.64	644.14	826.56
35 Sq.mm.	617.54	871.22	1,202.60

# 60227 IEC 10 (WITH GROUND)

Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1.5 / 1.5 Sq.mm.	76.86	88.62	125.02
2.5 / 2.5 Sq.mm.	94.36	110.32	173.17
4 / 4 Sq.mm.	135.73	163.24	255.92
6 / 6 Sq.mm.	196.00	238.70	374.08
10 / 10 Sq.mm.	287.00	364.28	570.50
16 / 16 Sq.mm.	421.40	549.22	851.20





# NYY

## 450/750 V 70°C PVC INSULATED DOUBLE SHEATHED, 1-4 CORE TIS 11-2559 Part 101 Table 3



Cross Section Area (Sq.mm.)	Price Baht / Meter			
	1 CORE	2 CORE	3 CORE	4 CORE
1 Sq.mm.	31.50	63.13	71.44	81.34
1.5 Sq.mm.	35.00	70.64	80.63	92.96
2.5 Sq.mm.	40.88	84.43	98.80	115.50
4 Sq.mm.	55.16	119.46	142.11	170.91
6 Sq.mm.	82.32	165.17	204.82	249.44
10 Sq.mm.	98.70	232.89	298.77	379.22
16 Sq.mm.	138.32	327.12	435.30	567.35
25 Sq.mm.	202.44	480.07	664.10	852.18
35 Sq.mm.	274.40	636.06	897.36	1,238.68
50 Sq.mm.	363.58	882.42	1,224.58	1,561.00
70 Sq.mm.	493.92	1,247.40	1,657.18	2,170.00
95 Sq.mm.	663.60	1,680.00	2,319.66	3,017.00
120 Sq.mm.	851.20	2,086.00	2,928.80	3,816.40
150 Sq.mm.	1,044.40	2,562.00	3,564.40	4,673.20
185 Sq.mm.	1,299.20	3,203.20	4,438.00	5,864.60
240 Sq.mm.	1,692.60	4,188.80	5,803.00	7,726.60
300 Sq.mm.	2,109.80	5,213.60	7,190.40	9,590.00
400 Sq.mm.	2,699.20	-	-	-
500 Sq.mm.	3,537.80	-	-	-





# NYY-G

450/750 V 70°C PVC INSULATED DOUBLE SHEATHED, WITH GROUND 2-4 CORE

TIS 11-2559 Part 101 Table 3



Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 / 1 Sq.mm.	71.44	81.34	115.58
1.5 / 1.5 Sq.mm.	80.63	92.96	130.65
2.5 / 2.5 Sq.mm.	98.80	115.50	180.43
4 / 4 Sq.mm.	142.11	170.91	266.41
6 / 6 Sq.mm.	204.82	249.44	389.05
10 / 10 Sq.mm.	298.77	379.22	592.75
16 / 16 Sq.mm.	459.55	595.35	903.91
25 / 16 Sq.mm.	631.04	803.60	1,247.26
35 / 16 Sq.mm.	849.84	1,176.21	1,797.60
50 / 25 Sq.mm.	1,223.57	1,533.00	2,317.00
70 / 35 Sq.mm.	1,612.27	2,143.09	3,206.00
95 / 50 Sq.mm.	2,240.08	2,953.34	4,417.00
120 / 70 Sq.mm.	2,818.20	3,763.35	5,509.00
150 / 95 Sq.mm.	3,480.60	4,588.81	6,776.00
185 / 95 Sq.mm.	4,247.60	5,736.51	8,421.00
240 / 120 Sq.mm.	5,524.40	7,561.55	10,990.00
300 / 150 Sq.mm.	6,899.12	9,365.89	13,699.00





# 60227 IEC 53

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE  
TIS 11-2553 Part 5 Table 9, IEC 60227 Part 5 Table 9



Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
0.75 Sq.mm.	31.22	39.06	51.94
1 Sq.mm.	36.54	49.56	61.74
1.5 Sq.mm.	48.44	61.46	79.52
2.5 Sq.mm.	77.98	111.16	124.18

# 60227 IEC 53 (WITH GROUND)

300/500 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE  
TIS 11-2553 Part 5 Table 9, IEC 60227 Part 5 Table 9



Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 / 1 Sq.mm.	49.56	61.74	89.60
1.5 / 1.5 Sq.mm.	61.46	79.52	111.30
2.5 / 2.5 Sq.mm.	111.16	124.18	162.40



# VCT

450/750 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE

TIS 11-2559 Part 101 Table 7



Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 Sq.mm.	37.86	51.34	63.97
1.5 Sq.mm.	50.04	63.49	82.14
2.5 Sq.mm.	80.43	114.66	128.09
4 Sq.mm.	111.30	140.56	178.50
6 Sq.mm.	158.06	205.66	267.68
10 Sq.mm.	273.42	358.82	469.70
16 Sq.mm.	392.00	530.60	679.56
25 Sq.mm.	618.10	799.40	1,023.96
35 Sq.mm.	819.14	1,117.20	1,425.20



# VCT-G

450/750 V 70°C PVC INSULATED AND SHEATHED, FLAXIBLE , 2 - 4 CORE WITH GROUND

TIS 11-2559 Part 101 Table 7



Cross Section Area (Sq.mm.)	Price Baht / Meter		
	2 CORE	3 CORE	4 CORE
1 / 1 Sq.mm.	51.34	63.97	93.52
1.5 / 1.5 Sq.mm.	63.49	82.14	116.02
2.5 / 2.5 Sq.mm.	114.66	128.09	169.06
4 / 4 Sq.mm.	140.56	178.50	247.72
6 / 6 Sq.mm.	205.66	267.68	420.63
10 / 10 Sq.mm.	358.82	469.70	637.00
16 / 16 Sq.mm.	530.60	679.56	903.00
25 / 16 Sq.mm.	777.17	1,008.81	1,316.00
35 / 16 Sq.mm.	1,078.46	1,389.79	1,841.00



CVV

600 V CONTROL CABLE, 75 °C PVC INSULATED AND SHEATHED , 2 - 30 CORE



Number of Core	Price Baht / Meter				
	Cross Section Area (Sq.mm.)				
	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
2	48.02	51.10	56.42	76.30	104.72
3	53.34	58.66	69.02	96.32	132.02
4	66.92	69.16	83.72	119.42	175.84
5	81.62	91.00	106.68	152.88	213.50
7	96.32	109.90	132.02	192.92	278.46
9	127.82	148.68	181.16	257.32	368.48
10	138.18	160.16	196.56	282.52	406.00
12	153.86	180.04	221.90	326.48	479.08
14	170.52	196.70	246.96	366.24	540.54
16	183.12	215.46	273.00	409.50	624.26
19	208.18	246.12	314.30	478.66	724.36
21	234.78	278.46	351.26	531.44	800.80
24	260.26	307.58	393.12	615.16	906.36
27	289.38	334.88	437.36	678.16	1,011.08
30	309.40	366.38	478.66	744.38	1,113.84





# CVV-S

600 V CONTROL CABLE, 75 °C PVC INSULATED AND SHEATHED , 2 - 30 CORE WITH COPPER TAPE SHIELD



Number of Core	Price Baht / Meter				
	Cross Section Area (Sq.mm.)				
	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
2	87.92	91.91	102.48	127.82	169.68
3	96.32	104.72	117.18	152.60	203.84
4	112.84	119.42	138.32	182.00	246.96
5	132.02	142.38	163.24	222.04	293.02
7	152.88	167.44	198.38	267.54	367.64
9	187.46	207.06	240.24	334.88	456.82
10	205.66	223.86	262.08	365.82	513.24
12	222.04	243.88	293.02	407.68	569.66
14	243.8	273.00	322.14	451.36	666.12
16	262.08	296.66	356.72	505.96	746.20
19	293.02	334.88	396.76	582.40	837.20
21	320.32	362.18	433.16	658.84	946.40
24	356.72	405.86	489.58	742.56	1,082.90
27	389.48	438.62	536.90	813.54	1,186.64
30	413.14	475.02	595.14	886.34	1,297.66





# 0.6/1 (1.2) KV : CV

0.6/1 (1.2) KV CU/XLPE/PVC, 1 - 4 CORE  
IEC 60502-1



Cross Section Area (Sq.mm.)	Price Baht / Meter			
	1 CORE	2 CORE	3 CORE	4 CORE
2.5 Sq.mm.	35.71	79.10	98.91	122.08
4 Sq.mm.	45.06	100.10	128.80	160.58
6 Sq.mm.	59.03	131.32	170.80	214.20
10 Sq.mm.	78.79	168.00	231.00	313.60
16 Sq.mm.	117.35	259.00	352.80	462.00
25 Sq.mm.	179.42	413.00	560.00	732.20
35 Sq.mm.	260.39	555.80	756.00	989.80
50 Sq.mm.	335.41	742.00	1,019.20	1,351.00
70 Sq.mm.	472.49	1,030.40	1,440.60	1,904.00
95 Sq.mm.	651.90	1,416.80	1,967.00	2,618.00
120 Sq.mm.	826.61	1,787.80	2,506.00	3,332.00
150 Sq.mm.	1,062.62	2,192.40	3,080.00	4,102.00
185 Sq.mm.	1,322.24	2,732.80	3,878.00	5,180.00
240 Sq.mm.	1,745.47	3,577.00	5,068.00	6,790.00
300 Sq.mm.	2,166.84	4,470.20	6,328.00	8,834.00
400 Sq.mm.	2,685.65	5,695.20	8,260.00	11,158.00
500 Sq.mm.	3,569.50	-	-	-
630 Sq.mm.	4,562.96	-	-	-
800 Sq.mm.	5,722.61	-	-	-
1,000 Sq.mm.	7,543.79	-	-	-





# 0.6/1 (1.2) KV : CV-FRPVC

0.6/1 (1.2) KV CU/XLPE/FRPVC, 1 - 4 CORE

IEC 60502-1



Cross Section Area (Sq.mm.)	Price Baht / Meter			
	1 CORE	2 CORE	3 CORE	4 CORE
2.5 Sq.mm.	36.81	83.36	104.23	128.65
4 Sq.mm.	46.45	105.59	135.87	169.39
6 Sq.mm.	60.86	138.26	179.79	225.47
10 Sq.mm.	80.40	177.03	243.42	330.46
16 Sq.mm.	119.74	273.49	372.54	487.86
25 Sq.mm.	181.23	425.33	576.73	754.07
35 Sq.mm.	263.03	574.17	780.99	1,022.52
50 Sq.mm.	338.80	765.74	1,051.81	1,394.22
70 Sq.mm.	474.85	1,062.26	1,485.15	1,962.88
95 Sq.mm.	655.17	1,463.63	2,032.03	2,704.55
120 Sq.mm.	830.76	1,844.99	2,586.18	3,438.60
150 Sq.mm.	1,067.96	2,264.88	3,181.82	4,237.60
185 Sq.mm.	1,335.60	2,814.42	3,993.82	5,334.70
240 Sq.mm.	1,763.10	3,680.04	5,213.99	6,985.59
300 Sq.mm.	2,188.73	4,613.21	6,530.44	9,116.62
400 Sq.mm.	2,698.98	5,871.33	8515.46	11,503.09
500 Sq.mm.	3,604.54	-	-	-
630 Sq.mm.	4,609.05	-	-	-
800 Sq.mm.	5,780.42	-	-	-
1,000 Sq.mm.	7,619.98	-	-	-



# 1.8/3 (3.6) KV : CV

## 3.6/6 (7.2) KV : CV

### 6/10 (12) KV : CV



CU/XLPE/PVC OR PE, 1 AND 3 CORE  
IEC 60502-2

Cross Section Area (Sq.mm.)	Price Baht / Meter					
	1.8/3 (3.6) KV		3.6/6 (7.2) KV		6/10 (12) KV	
	1 CORE	3 CORE	1 CORE	3 CORE	1 CORE	3 CORE
10 Sq.mm.	177.38	471.24	222.60	697.20	-	-
16 Sq.mm.	225.40	620.90	277.20	851.20	344.40	1,066.80
25 Sq.mm.	294.00	829.78	343.00	1,072.40	414.40	1,300.60
35 Sq.mm.	360.36	1,036.70	418.60	1,297.80	491.40	1,542.80
50 Sq.mm.	449.12	1,337.98	511.00	1,618.40	592.20	1,867.60
70 Sq.mm.	595.00	1,775.20	651.00	2,055.20	739.20	2,346.40
95 Sq.mm.	774.20	2,336.60	827.40	2,622.20	922.60	2,942.80
120 Sq.mm.	960.40	2,905.00	1,005.20	3,186.40	1,104.60	3,501.40
150 Sq.mm.	1,156.40	3,519.60	1,212.40	3,759.00	1,297.80	4,081.00
185 Sq.mm.	1,416.80	4,331.60	1,479.80	4,505.20	1,566.60	4,963.00
240 Sq.mm.	1,817.20	5,558.00	1,902.60	5,765.20	1,999.20	6,304.20
300 Sq.mm.	2,237.20	6,865.60	2,340.80	7,084.00	2,445.80	7,686.00
400 Sq.mm.	2,805.60	8,612.80	2,935.80	9,052.40	3,061.80	9,585.80
500 Sq.mm.	3,549.00	-	3,714.20	-	-	-



# 8.7/15 (17.5) KV : CV

## 12/20 (24) KV : CV

### 18/30 (36) KV : CV



CU/XLPE/PVC, 1 AND 3 CORE  
IEC 60502-2

Cross Section Area (Sq.mm.)	Price Baht / Meter					
	8.7/15 (17.5) KV		12/20 (24) KV		18/30 (36) KV	
	1 CORE	3 CORE	1 CORE	3 CORE	1 CORE	3 CORE
25 Sq.mm.	473.20	1,510.60	-	-	-	-
35 Sq.mm.	555.80	1,761.20	613.20	1,971.20	-	-
50 Sq.mm.	653.80	2,116.80	721.00	2,312.80	886.20	2,935.80
70 Sq.mm.	807.80	2,585.80	868.00	2,794.40	1,044.40	3,505.60
95 Sq.mm.	995.40	3,179.40	1,059.80	3,463.60	1,244.60	4,132.80
120 Sq.mm.	1,181.60	3,913.00	1,254.40	4,057.20	1,436.40	4,774.00
150 Sq.mm.	1,367.80	4,432.40	1,439.20	4,663.40	1,643.60	5,398.40
185 Sq.mm.	1,629.60	5,201.00	1,692.60	5,513.20	1,906.80	6,213.20
240 Sq.mm.	2,069.20	6,508.60	2,121.00	7,071.40	2,318.40	7,802.20
300 Sq.mm.	2,515.80	8,045.80	2,580.20	8,339.80	2,734.20	9,307.20
400 Sq.mm.	3,137.40	9,800.00	3,201.80	10,113.60	3,374.00	11,145.40



# THW-A

750 V 70°C PVC INSULATED, ALUMINUM STRANED 1 CORE  
TIS 293-2541 TABLE 1



Core x Cross Section Area (Sq.mm.)	Price Baht / Meter	Standard Packing
10 Sq.mm.	12.71	100 m./coil
16 Sq.mm.	17.25	100 m./coil
25 Sq.mm.	25.44	100 m./coil
35 Sq.mm.	32.87	100 m./coil
50 Sq.mm.	44.30	500 m./Reel
70 Sq.mm.	69.52	500 m./Reel
95 Sq.mm.	90.83	500 m./Reel
120 Sq.mm.	111.01	500 m./Reel
150 Sq.mm.	135.04	500 m./Reel
185 Sq.mm.	168.08	500 m./Reel
240 Sq.mm.	219.84	500 m./Reel
300 Sq.mm.	268.91	500 m./Reel



# STATION WIRE : SW (TIEV)

TELEPHONE CABLE - INSIDE



Number of Cores	Price Baht / Meter	
	Diameter of Conductor (mm.)	
	24 AWG (0.5 mm.)	22 AWG (0.65 mm.)
2	5.39	7.63
3	7.14	10.50
4	8.75	13.09
5	10.64	16.24
6	12.39	19.60



# TPEV

## TELEPHONE CABLE - OUTSIDE



Number of Cores	Price Baht / Meter	
	Diameter of Conductor (mm.)	
	24 AWG (0.5 mm.)	22 AWG (0.65 mm.)
4	26.60	36.40
5	30.80	43.40
6	35.00	49.00
8	46.20	67.20
10	51.80	77.00
15	75.60	113.40
20	95.20	145.60
25	116.20	179.20
30	145.60	217.00
40	196.00	287.00
50	224.00	350.00
100	434.00	672.00
200	840.00	1,323.00





## **CHAROONG THAI WIRE & CABLE PUBLIC COMPANY LIMITED**

Head Office : Executive & Sales Office  
589/71 Central City Tower, Floor 12A, Bangna-Trad Road, Bangna, Bangna, Bangkok 10260  
[www.ctw.co.th](http://www.ctw.co.th) E-mail: [sales@ctw.co.th](mailto:sales@ctw.co.th)  
Tel.: (+66)2 745 6118-30 Fax.: (+66)2 745 6131-32

Factory : Chachoengsao Plant  
35/1 Moo 22 Suwinthawong Road, Km.55 Suwinthawong, Bangnamprueo, Chachoengsao 24000  
Tel. : (+66)38 593 401-10 Fax. : (+66)38 593 400