



## Water Management Policy and Strategic Report (GRI 303 & SDG 6)

### นโยบายและรายงานกลยุทธ์การจัดการน้ำ บริษัท จรุงไทยไวร์แอนด์เคเบิล จำกัด (มหาชน)

#### นโยบายการจัดการน้ำ / Water Management Policy

บริษัท จรุงไทยไวร์แอนด์เคเบิล จำกัด (มหาชน) ตระหนักถึงความสำคัญของทรัพยากรน้ำทั้งในเชิงสิ่งแวดล้อมและการดำเนินธุรกิจ โดยยึดหลักการบริหารจัดการน้ำอย่างยั่งยืน และหลักความระมัดระวังล่วงหน้า (Precautionary Principle) เพื่อลดผลกระทบต่อชุมชน แหล่งน้ำธรรมชาติ และสิ่งแวดล้อมโดยรวม ภายใต้กรอบมาตรฐาน GRI 303 และเป้าหมาย SDG 6 รวมถึงการรายงานที่สอดคล้องกับเอกสาร ESG Disclosure ที่ยื่นต่อตลาดหลักทรัพย์แห่งประเทศไทย (SET)

#### บริษัทมีความมุ่งมั่นที่จะ:

- ใช้น้ำอย่างมีประสิทธิภาพและลด Water Intensity
- เพิ่มการนำน้ำกลับมาใช้ใหม่ (Reuse)
- ป้องกันการปล่อยน้ำเสียที่ไม่ผ่านเกณฑ์มาตรฐาน
- บริหารความเสี่ยงด้านน้ำท่วมและ Runoff
- เปิดเผยข้อมูลอย่างโปร่งใสและตรวจสอบได้

เป้าหมายระยะยาว: ลดการนำน้ำเข้าสู่โรงงานรวม 51.8% ภายในปี 2030 (จากปีฐาน 2023) เพื่อควบคุม Baseline Water Stress  $\leq$  80%

APPROVED BY: \_\_\_\_\_

Mr. Shih-Hao Chiu

Managing Director

Date: .....



**Water Management Policy and Strategic Report (GRI 303 & SDG 6)**

**Charoong Thai Wire and Cable Public Company Limited (CTW)**

**Water Management Policy**

CTW recognizes the importance of water resources in both environmental and operational dimensions. The company adheres to the principles of sustainable water management and the **Precautionary Principle** to minimize impacts on communities, natural water bodies, and ecosystems. Our approach aligns with **GRI 303**, **SDG 6**, and disclosure requirements of the **Stock Exchange of Thailand (SET) ESG** metrics.

CTW is committed to:

- Efficient water use and reducing water intensity
- Increasing water reuse and recycling
- Preventing the release of untreated or non-compliant effluent
- Managing flood and runoff risks
- Transparent and auditable water data disclosure

**Long-Term Target:** Reduce total incoming water volume by **51.8%** by 2030 (baseline year: 2023) to maintain **Baseline Water Stress (BWS) ≤ 80%**

APPROVED BY: \_\_\_\_\_

Mr. Shih-Hao Chiu

**Managing Director**

Date: .....